## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	6	"320306".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 10:21
L3	1	"20206728".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 10:22
L4	2	"6741162".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 10:59
L5	140	307/1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 11:12
L6	5	"512783".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 11:15
L8	7	"075708".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 11:50
L9	330	307/3.ccls.	US-PGPUB; USPAT	OR	ON	2009/05/13 11:53

L10	10	("6014386"   "6104707"   "6407987"   "6614326"   "6710704"   "6813316"   "6922135"   "6975212"   "7060350"   "7183901").PN. OR ("7319280").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/13 12:44
L11	38	307/4.ccls.	US-PGPUB; USPAT	OR	ON	2009/05/13 12:47
L12	58	340/538.12.ccls.	US-PGPUB; USPAT	OR	ON	2009/05/13 12:49
L14	146	340/310.13.ccls.	US-PGPUB; USPAT	OR	ON	2009/05/13 12:51
L15	251	340/310.16.ccls.	US-PGPUB; USPAT	OR	ON	2009/05/13 13:38
L16	374	375/258.ccls.	US-PGPUB; USPAT	OR	ON	2009/05/13 13:45
L17	879	(307/1,3-4 "340"/\$). ccls. and ((powerline (power adj line) power- line) adj communication)	US-PGPUB; USPAT	OR	ON	2009/05/13 13:50
L18	71	17 and (filter same ((inductor inductive inductance) same (capacitor capacitance condenser)))	US-PGPUB; USPAT	OR	ON	2009/05/13 13:50
L19	5	"348164".ap.	US-PGPUB; USPAT	OR	ON	2009/05/13 13:51
S1	10	("20030160684" "5805053" "6590493" "6396396" "6396392"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:43
S2	5	"584166".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:47

5/13/2009 3:27:44 PM

C:\ Documents and Settings\ hkaplan\ My Documents\ EAST\ Workspaces\ 10584166.wsp